

**NEWTON TOWNSHIP
2024 ASPHALT PAVING PROPOSAL
Project 1**

ROAD NAME: Various Streets, Newton Township (See Bid Qty Table)

LENGTH: 5.40 miles

WIDTH: varies

THICKNESS: 2 inches

GENERAL INFORMATION AND SPECIFICATIONS

SCOPE OF WORK: The Contractor shall furnish all materials, equipment, and tools necessary to place and compact asphalt on prepared roadways that are acceptable to the County Engineer and Township Trustees. All materials shall meet current Ohio Department of Transportation (ODOT). Specifications and shall come from a source certified by ODOT. All equipment shall meet current ODOT Specifications.

The contractor shall clean and otherwise prepare the surface for paving. Bridge treatments shall be directed by the Engineer to provide a smooth road surface. No asphalt shall be placed on bridges without authorization from the Engineer. The contractor shall place a butt joint across the entire width of the roadway as directed by the County Engineer to provide a level transition from new asphalt to existing pavement. Butt joints and feathering at bridges and intersections should comply with ODOT standard construction drawing BP-3.1.

MATERIAL

<u>5,416</u>	Tons	448 Type 1 Asphalt Concrete Surface Course	@ \$ _____	= \$ _____
<u>271</u>	Tons	448 Asphalt Concrete Contingency	@ \$ _____	= \$ _____
<u>2,436</u>	Gallons	407 Asphalt Tack Coat, (0.05 gal/sq. yd)	@ \$ _____	= \$ _____

Bidder Name: _____

Total Bid: \$ _____

Signed: _____

Date: _____

Bid Quantities
Various Streets - Newton Twp
2024 Road Resurfacing
Project 1

Street Name	Length (mi)	Width (ft)	Thickness (in)	Asphalt (tons)	Contingency (tons)	Tack Coat (gal)
Opera Rd	0.68	13.00	2	576	29	259
Slack Rd	1.50	15.00	2	1,467	73	660
Payne Rd	0.78	15.00	2	763	38	343
Ridgley Rd	0.97	14.00	2	885	44	398
Shaw Rd	1.47	18.00	2	1,725	86	776
TOTAL	5.40			5,416	271	2,436

**NEWTON TOWNSHIP
2024 ASPHALT PAVING PROPOSAL
Project 1A – Alternate Bid**

ROAD NAME: Various Streets, Newton Township (See Bid Qty Detail)

LENGTH: 5.40 miles

WIDTH: varies

THICKNESS 448T1: 1.25 inches

THICKNESS 448T2: 1.75 inches

GENERAL INFORMATION AND SPECIFICATIONS

SCOPE OF WORK: The Contractor shall furnish all materials, equipment, and tools necessary to place and compact asphalt on prepared roadways that are acceptable to the County Engineer and Township Trustees. All materials shall meet current Ohio Department of Transportation (ODOT). Specifications and shall come from a source certified by ODOT. All equipment shall meet current ODOT Specifications.

The contractor shall clean and otherwise prepare the surface for paving. Bridge treatments shall be directed by the Engineer to provide a smooth road surface. No asphalt shall be placed on bridges without authorization from the Engineer. The contractor shall place a butt joint across the entire width of the roadway as directed by the County Engineer to provide a level transition from new asphalt to existing pavement. Butt joints and feathering at bridges and intersections should comply with ODOT standard construction drawing BP-3.1.

MATERIAL

<u>3,229</u>	Tons	448 Type 2 Asphalt Concrete Intermediate Course	@ \$ _____	= \$ _____
<u>4,032</u>	Tons	448 Type 1 Asphalt Concrete Surface Course	@ \$ _____	= \$ _____
<u>363</u>	Tons	448 Asphalt Concrete Contingency	@ \$ _____	= \$ _____
<u>2,436</u>	Gallons	407 Asphalt Tack Coat, (0.05 gal/sq. yd)	@ \$ _____	= \$ _____

Bidder Name: _____

Total Bid: \$ _____

Signed: _____

Date: _____

Bid Quantities

Various Streets - Newton Twp

2024 Road Resurfacing

Project 1A – Alternate Bid

Street Name	Length (mi)	Width (ft)	Thickness 448T1(in)	Asphalt (tons)	Thickness 448T2(in)	Asphalt (tons)	Contingency (tons)	Tack Coat (gal)
Opera Rd	0.68	13.00	1.25	360	1.75	504	43	259
Slack Rd	1.50	15.00	1.25	917	1.75	1,283	110	660
Payne Rd	0.78	15.00	1.25	477	1.75	667	57	343
Ridgley Rd	0.97	14.00	1.25	553	1.75	775	66	398
Shaw Rd	1.47	18.00	2	1,725	0.00	0	86	776
TOTAL	5.40			4,032		3,229	363	2,436

INSTRUCTIONS TO BIDDERS

2024 Asphalt Paving

1. Bidders are advised to examine, before submitting their bids, the location where the proposed work is to be done, as well as the plans, profiles, specifications, and contract documents. It is hereby understood that the bidder has read and fully understands each and every clause embodied in this contract.
2. Each proposal must contain the full name of the party making the bid and all persons interested therein.
3. The award will be made to the lowest and best bidder. Awards will be made on the basis of unit prices bid and the township reserves the right to add to or delete from the estimated bid quantities.
4. Each proposal must be accompanied by a certified check or bid bond in an amount equal to 10% of the proposal and made payable to the Township Trustees as a guarantee that, if the proposal is accepted, a contract will be entered into in accordance therewith, and check of successful bidder will be returned upon proper execution and securing of the contract. Checks of unsuccessful bidder will be returned upon execution of contract with successful bidder.
5. The successful bidder will be required to furnish a performance bond in the amount of One Hundred Percent (100%) of their bid.
6. All proposal blanks shall be filled in completely. Failure to do so could result in rejection of bid.
7. The Board of Township Trustees reserves the right to reject any and all bids and to waive any irregularities.
8. The attention of bidder is directed to the special statutory provisions (ORC 4115.03 et seq.) governing the prevailing rates of wages to be paid to operators, laborers and mechanics employed and on discriminations, etc. in employment under public contracts (ORC 153.38, 153.60).
9. The bidder shall submit a current ODOT Certification of Qualifications that will show it is currently qualified by ODOT to perform the work as required under section 5525.02 to 5525.09 inclusive of the Ohio Revised Code.
10. ODOT Specification 401.20, Asphalt Binder Price Adjustment, and all related sections shall not apply to this project.